## School Emergency Drills Documentation Form

| Type of Drill:   |   | Time of Drill:    |                        |
|--|---|-------------------|------------------------|
| X  | Fire Drill (5 required)(3 by 12/1)      | X                 | Standard               |
|  | Tornado Drill (2 required – 1 in March) |                   | Class Change           |
|  | Shelter in Place (2 required)           |                   | Recess                 |
|  | Lock Down (2 required 1 prior to Dec 1) |                   | Lunch                  |
| Name of Repor  | ting School: Crestwood Elen             | entary            |                        |
| Date of Drill:   | 1.13.22 Time Drill was held:            | 11:00             | _( <b>a.</b> .m./p.m.) |
| Exact time required to evacuate/shelter/secure: 3 min 99 sec.      |   |                   |                        |
| Total Participants: All Staff v                                    |   |                   |                        |
| students   |   |                   |                        |
| This report is fo  | r Emergency Drill Fire# out of          | 5 for school year | 2021-2022              |
|  | Tornado# out of                         | 2 for school year | ·                      |
|  | Shelter IP# out of                      | 2 for school      |                        |
|  | Lockdown# out of                        | 2 for school      |                        |
|  |   |                   |                        |
| Name of person conducting drill: Nicole Peterson                   |   |                   |                        |
| Title of person conducting drill: Principal                        |   |                   |                        |
| Signature of person conducting drill:                              |   |                   |                        |
| Fire (fire chief or designee) present  Name and Title:  Mr. Myrick |   |                   |                        |

MUST RETURN TO SECURITY OFFICE WITHIN 24 HOURS OF DRILL FAX NUMBER 866-7112